

# vulcano.premium 1182



## Model Code F5623

date of issue 12-11-20 revision 00  
revision of 06-02-23 (the present replaces any previous versions)

**Designer:** centro studi interno

**Structure:** pinewood, multilayer and plywood covered with polyurethane foam.

**Spring system:** elastic webbing

**Seat Padding:** seat cushions in ecological polyurethane foam covered with 100% polyester padding.

**Back Padding:** back cushions in fiber (synthetic fiberfill).

**Arm Interior:** in ecological polyurethane foam covered with 100% polyester padding.

**Removability:** not available.

**Sewing:** leather coverings feasible with contrast stitching in the colors available; cuts and sewing vary on microfiber (or fabric) coverings.

**Mechanisms:** the model is equipped with headrests that can be manually lifted on versions: "recliner". Recliner versions with "electric adjustable headrest", are equipped with electrically adjustable headrests, that can be operated by a touch pad positioned on the sides. All recliner versions include an electrically powered metal mechanism operated by a touch pad positioned on outer sides. The depth of the model with open recliner is 153 cm.

**Standard feet:** coal black colored beech-wood PL2180 front feet, h. 3 cm. PVC rear feet, h. 3 cm. Alternatively, for wooden feet only, it is possible to choose among the wooden finishes available on the sample book. Some versions may be equipped with hidden feet with a supporting structural function.

## Density of seat and back kg/cbm (±5%) (1)

Markets	Seat	Back
I	30 Medium	
D - NL - CH		
USA - California		
GB	37 fire retardant	
Others	30 Medium	

Note: when no values/contents are specified in the chart, please refer to "Others" field/area.

(1)Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFETY INFORMATION TECHNIQUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

## Coverings

	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split	✓		
DeLuxe			✓
multi colour**			✓
multi-category**			✓
multi covering**			✓

Please note: for not removable models, only one colour fabric covers are available.

\* fabrics and microfibers are not available for the U.K. market

## Components / Optional vers.



P5000334

P5000335

VULC\_PT

## Feet



PL2180

PVC H3

## Ottoman



With the reservation of carrying for production purposes and without advanced notices modifications on the materials, coverings and dimensions of the product as indicated in the relevant specification. The given dimensions and volume are of indicative value being subject to the production process tolerances. For normal use, the following maximum loads are recommended: Armchairs max. 120 kg, 2-seat sofas max. 200 kg (2x100 kg), 3-seat sofas max. 240 kg (3x80 kg). Use with loads exceeding the indicated values may cause the sofa/armchair or its components to break.






↑ fold following the dotted line ↑


# vulcano.premium 1182







L Length - H Height - D Depth - SH Seat Height - SD Seat Depth  
Dimensions refer to maximum sizes of the version with closed mechanism (where available).







dimensions	L 103 H101 D96 SH45 SD54	L 160 H101 D96 SH45 SD54	L 186 H101 D96 SH45 SD54	L 208 H101 D96 SH45 SD54	L 80 H101 D96 SH45 SD54
version code	100	200	240	300	B 68
Description	chair	2 seater	2 1/2 seater	3 seater	mini chair raf



L 80 H101 D96 SH45 SD54	L 93 H101 D96 SH45 SD54	L 93 H101 D96 SH45 SD54	L 104 H101 D96 SH45 SD54	L 104 H101 D96 SH45 SD54	L 137 H101 D96 SH45 SD54
B 69	110	120	114	124	210
mini chair laf	1 right arm facing chair	1 left arm facing chair	rhf maxi chair	lhs maxi chair	1 right arm facing 2 str



L 137 H101 D96 SH45 SD54	L 163 H101 D96 SH45 SD54	L 163 H101 D96 SH45 SD54	L 185 H101 D96 SH45 SD54	L 185 H101 D96 SH45 SD54	L 57 H101 D96 SH45 SD54
220	251	252	310	320	D 62
1 left arm facing 2 str	1 right arm fac. 2 1/2 str	1 left arm fac. 2 1/2 str	1 right arm facing 3 str	1 left arm facing 3 str	small chair no arm



L 70 H101 D96 SH45 SD54	L 81 H101 D96 SH45 SD54	L 120 H101 D99 SH45 SD54	L 120 H101 D99 SH45 SD54	L 93 H101 D156 SH45 SD114	L 93 H101 D156 SH45 SD114
130	144	168	169	410	420
chair without armr.	maxi chair no arm	chr no arms mer.rgt fac.ter.	chr no arms mer.lft fac. term.	chaise lon.rhf arm fac	chaise lon.lhf arm fac

↓ fold following the dotted line ↓




↑ fold following the dotted line ↑

# vulcano.premium 1182



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth  
Dimensions refer to maximum sizes of the version with closed mechanism (where available).



dimensions	L 104	L 104	L 98	L 218	L 218
version code	H101 D156 SH45 SD114 601	H101 D156 SH45 SD114 602	H101 D98 SH45 SD54 040	H101 D101 SH45 SD54 043	H101 D101 SH45 SD54 044
Description	maxi chaise lon.rgt arm fac.	maxi chaise lon.lft arm fac.	square corner	sq.cor.chr.sq.mer. rig.fac.	sq.cor.chr.sq.mer.left fac.

L 105	L 161	L 161	L 162	L 187	L 187
H101 D96 SH45 SD54 AN6	H101 D96 SH45 SD54 M27	H101 D96 SH45 SD54 M28	H101 D96 SH45 SD54 E63	H101 D96 SH45 SD54 H04	H101 D96 SH45 SD54 H05
chair with el.rec.*a.h.*	2str 1rgt fac.el.rec.*a.h.*	2str 1lft fac.el.rec.*a.h.*	2str rg/lf r.el.*a.h.*	2p1/2 str 1raf r.el.*a.h.*	2p1/2 str 1laf r.el.*a.h.*

L 188	L 209	L 209	L 210	L 81	L 81
H101 D96 SH45 SD54 H03	H101 D96 SH45 SD54 M33	H101 D96 SH45 SD54 M34	H101 D96 SH45 SD54 M35	H101 D96 SH45 SD54 DA0	H101 D96 SH45 SD54 DA1
2str1/2 2r.r-l el.*a.h.*	3st.2cus.1rhf el.r.*a.h.*	3st.2cus.1lhf el.r.*a.h.*	3s 2cus.2 rhf/lhf e.r.*a.h.*	mini rhf ch.el.rec.*a.h.*	mini lhf ch.el.rec.*a.h.*

L 94	L 94	L 105	L 105	L 58	L 71
H101 D96 SH45 SD54 M25	H101 D96 SH45 SD54 M26	H101 D96 SH45 SD54 DA2	H101 D96 SH45 SD54 DA3	H101 D96 SH45 SD54 O86	H101 D96 SH45 SD54 O85
el.rec.chair 1arm raf*a.h.*	el.rec.chair 1arm laf*a.h.*	maxi rhf chair el.r.*a.h.*	maxi lhf chair el.r.*a.h.*	arml.mini ch.el.rec.*a.h.*	el.rec.armless chair *a.h.*

↓ fold following the dotted line ↓




↑ fold following the dotted line ↑

# vulcano.premium 1182



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth  
 Dimensions refer to maximum sizes of the version with closed mechanism (where available).



dimensions	L 82 H101 D96 SH45 SD54		L 105 H101 D96 SH45 SD54		L 161 H101 D96 SH45 SD54		L 161 H101 D96 SH45 SD54		L 162 H101 D96 SH45 SD54	
version code	DA4		AN7		AN8		AN9		AO1	
Description	maxi a/l cha.el.rec.*a.h*		chair with el.rec.*a.h.*el.		2str 1rgt fac.e.rec*a.h.*el.		2str 1lft fac.e.rec*a.h.*el.		2str rg/lf r.el.*a.h.*el.	
	L 187 H101 D96 SH45 SD54		L 187 H101 D96 SH45 SD54		L 188 H101 D96 SH45 SD54		L 209 H101 D96 SH45 SD54		L 209 H101 D96 SH45 SD54	
<b>AO2</b>	<b>AO3</b>		<b>AO4</b>		<b>AO5</b>		<b>AO6</b>		<b>AO7</b>	
2p1/2 str 1raf r.e.*a.h.*el.	2p1/2 str 1laf r.e.*a.h.*el.		2str1/2 2r.r-l el.*a.h.*el.		3st.2cus.1rhf el.r.*a.h.*el.		3st.2cus.1lhf el.r.*a.h.*el.		3s 2c.2 rhf/lhf e.r.*a.h.*el.	
	L 81 H101 D96 SH45 SD54		L 81 H101 D96 SH45 SD54		L 94 H101 D96 SH45 SD54		L 94 H101 D96 SH45 SD54		L 105 H101 D96 SH45 SD54	
<b>BR1</b>	<b>BR2</b>		<b>BR3</b>		<b>BR4</b>		<b>BR5</b>		<b>BR6</b>	
mini rhf ch.el.rec.el.*a.h*	mini lhf ch.el.rec.el.*a.h*		rhf chair el.rec.el*a.h.*		lhf chair el.rec.el*a.h.*		maxi rhf chair el.r.el.*a.h*		maxi lhf chair el.r.el.*a.h*	
	L 58 H101 D96 SH45 SD54		L 71 H101 D96 SH45 SD54		L 82 H101 D96 SH45 SD54					
<b>BR7</b>	<b>BR8</b>		<b>BR9</b>							
mini a/l cha.el.re.el*a.h*	a/l chair el.rec.el.*a.h.*		maxi a/l cha.el.rec.el*a.h*							

↓ fold following the dotted line ↓

